





PRODUCT CATALOGUE


CUSTOMIZABLE·QUALITY·DESIGN

COMPANY PROFILE



ROCKPORT TRADING was founded on the principles of integrity, quality, and innovation. Our journey began with a

passion for building and creating living spaces that bring inspiration, provide comfort and delights the end user. We believe that every project tells a unique story that is built for the memories yet to come. We are a leading trading company specializing in exceptional designs for interior and exterior living spaces for building contractors and home renovation experts.



Roller blinds



Zebra blinds



Shangri-la blinds



Aluminum venetian blinds



Faux wood venetian blinds



Vertical blinds



Honeycomb blinds



Outdoor blinds



Curtain & Tracks



01 Roller Blinds

Specialist in blinds

Product Features

The eco-friendly and durable fabric is made into a variety of shading effects: transparent, semi-blackout, blackout, with unique design and functions of insulation, dust-proof, shading and light filtering, which is becoming a new favorite in home decoration.

Fabric Shading Effect



Transparent



Semi-blackout




Full blackout



Available Valance




Fabric inserted S1



Curve white S2




Fabric wrapped S3



Simple rolling



Easy charging




Beam simple rolling



Fabric inserted Z1
(day&night blinds)



End cap free Z2
(day&night blinds)



Fabric wrapped Z3
(day&night blinds)

Bottom Rail



White Gray Black

Type B



Type C



Type D


Features Configuration




Adhesive L shape




Aluminium U shape




Rectangular




Sloping Cill



Multiple linked



Forward Roll



Reverse Roll

Rectangular Sloping Cill: The fabric is cut at an angle,Note:the blind cannot be fully retracted. Multiple Linked: A single motor operates two or mor blinds. Forward Roll: Fabric rolls off the back,closest to the glazing. Feverse Roll: Fabric rolls of the front.giving extra clearance for window handles.

Control Systems



Bead chain/Wand
(plastic/metal)



Cordless




Motorized




Manual-Automatic 2 in 1


Parameters of Valance & Tube




Square V2




Fabric inserted Z1
(day&night)




End cap free Z2
(day&night)




White or Fabric wrapped Z3
(day&night)




White or Fabric wrapped Z3




Fabric inserted S1




Ceiling mount simple rolling




Fabric wrapped S3



Wall mount simple rolling



Large cassette



Light blocker



Roller Blinds Customizable Size					
Valance/Cassette/Cover	Customizable size	Bead chain	Cordless	Motorized	Manual& Motorized 2 in1
Simple rolling	Width(cm)	50-230	\	50-230	\
	Height(cm)	50-300	\	50-400	\
	Fabric deduction(cm)	2.7	\	2.7	\
Beam simple rolling	Width(cm)	50-230	\	50-230	\
	Height(cm)	230	\	230	\
	Fabric deduction(cm)	2.2	\	2.2	\
Easy charging	Width(cm)	\	\	38-230	\
	Height(cm)	\	\	50-230	\
	Fabric deduction(cm)	\	\	3.4	\
Curved	Width(cm)	50-230	\	50-230	\
	Height(cm)	50-430		50-430	
	Fabric deduction(cm)	2.6		2.6	
S1-fabric inserted	Width(cm)	50-230	\	50-230	
	Height(cm)	50-260	\	50-260	\
	Fabric deduction(cm)	2.5	\	2.5	\
V2- suqare valance	Width(cm)	50-230	50-230	50-320	52 -230
	Height(cm)	50-320	50-300	2.6	50-280
	Fabric deduction(cm)	2.6	2.1	50-230	2.8
S2 white / S3 fabric wrapped	Width(cm)	50-230	50-230	50-350	52 -230
	Height(cm)	50-350	50-300	2.8	50-280
	Fabric deduction(cm)	2.8	2.4	50-220	3.1
Fabric inserted Z1(day&night)	Width(cm)	50-220	50-220	50-260	\
	Height(cm)	50-260	50-260	2.3	\
	Fabric deduction(cm)	2.3	\	50-230	\
End cap free Z2 (day&night)	Width(cm)	50-230	\	50-320	\
	Height(cm)	50-320	\	3.3	\
	Fabric deduction(cm)	3.3	50-230	50-230	\
White or Fabric wrapped Z3 (day&night)	Width(cm)	50-230	50-250	50-250	\
	Height(cm)	50-250	2.4	2.6	\
	Fabric deduction(cm)	2.6			

*The mini width for AM28 is 65cm



Zebra Blinds

Specialist in blinds

Product Features

Our zebra shades offer a versatile range of colors, textures, and prints with simple yet elegant light control options.

Fabric Shading Effect



Open



Close



Available Valance



Square V2 | White




Square V2 | Gray




Square V2 | Black



Fabric inserted S1



Curve white S2



Fabric wrapped S3



White Z3




Fabric wrapped Z3

Bottom Rail



Type A | White



Type A | Gray



Type A | Black

Control Systems



Bead Chain
(plastic/metal)



Cordless




Motorized




Manual-Automatic 2 in 1


Parameters of Valance & Tube



Square V2



Fabric inserted S1



White S2/Fabric wrapped S3



Zebra Shades Customizable Size				
Valance/Cassette/Cover	Customizable size	Bead chain	Cordless	Motorized
S1-fabric inserted	Width(cm)	50-230	\	50-230
	Height(cm)	50-220	\	50-220
	Fabric deduction(cm)	2.6	\	2.6
V2- square valance	Width(cm)	50-230	50-230	50-230
	Height(cm)	50-260	50-260	50-260
	Fabric deduction(cm)	2.7	2.2	2.7
Curved	Width(cm)	50-230	\	50-230
	Height(cm)	50-330		50-330
	Fabric deduction(cm)	2.7		2.7
S2 white / S3 fabric wrapped	Width(cm)	50-230	50-230	50-230
	Height(cm)	50-280	50-280	50-280
	Fabric deduction(cm)	3	2.5	3
White or Fabric wrapped Z3 (day&night)	Width(cm)	50-230	50-230	50-230
	Height(cm)	50-200	50-200	50-200
	Fabric deduction(cm)	2.7	2.2	2.7

*The mini width for AM28 is 65cm



03

Shangri-la Blinds

Specialist in blinds

Product Features

Create a harmony of light and shade with the elegant stylings of Shangri-La Sheer Blinds. This luxurious blinds softly filter light into the home and combine the sophistication of drapery with the functionality of shades.

Fabric Shading Effect



Available Valance



Square V2 | White



Square V2 | Gray



Square V2 | Black

Bottom Rail



Bottom rail

Control Systems




Bead Chain (plastic/metal)




Motorized

Parameters of Valance & Tube



Square V2









Valance



Shangri-la Blinds Customizable Size				
Valance/Cassette/Cover	Customizable size	Bead chain	Motorized	Notes
S1-fabric inserted	Width(cm)	40-230	50-230	
	Height(cm)	50-160	50-160	
	Fabric deduction(cm)	2.6	2.6	
V2- suqare valance	Width(cm)	40-230	50-230	
	Height(cm)	50-190	50-190	
	Fabric deduction(cm)	2.7	2.7	
Curved	Width(cm)	40-230	50-230	
	Height(cm)	50-250	50-250	
	Fabric deduction(cm)	2.7	2.7	
S2 white / S3 fabric wrapped	Width(cm)	40-230	50-230	
	Height(cm)	50-200	50-200	
	Fabric deduction(cm)	3	3	
White or Fabric wrapped Z3 (day&night)	Width(cm)	40-230	50-230	
	Height(cm)	50-150	50-150	
	Fabric deduction(cm)	2.7	2.7	

*The mini width for AM28 is 65cm








Aluminum Venetian Blinds

Specialist in blinds


Product Features

Highstrength elastic, not easy to deformation, not afraid of wind and sun. 180 degrees flip blade adjustment to easily control indoor light. Environmental protection paint, moisture-proof and mildew proof, isolation of oil and water stains. Paint blade multi - color optional.

Shading Effect



Headrail & Bottom Rail



Type B | White



Type B | Beige





Type B | Gray



Type B | Blue

Color Swatches



Control Systems



Bead Chain (Plastic/Metal)




Motorized




Cordless


Parameters of Rail




Cordless Headrail
No Drill Blinds



Bead Chain/
Motorized Headrail
No Drill Blinds



Cordless Headrail
Screw Fix



Bead Chain/
Motorized Headrail
Screw Fix

Customizable Size

Venetian Blinds Customizable Size						
Name	Style	Customizable size	Bead chain	Cordless	Motorized	Notes
Venetian Blinds	Screw	Width(cm)	30-150	33-250	45-260	
		Height(cm)	40-300	50-240	60-260	
		Fabric deduction(cm)	0.2	0.1	0.1	
	Screw Free	Width(cm)	35-150	42-150		
		Height(cm)	40-300	50-240		
		Fabric deduction(cm)	0.2	0.1		



05

Faux Wood Blinds

Specialist in blinds

Product Features

Original first-class wood, ingenuity, environmental sound insulation, reduce air conditioning energy consumption, UV protection. Comfortable quiet, elegant and generous, add a sense of quality to the home space.


Shading Effect




Headrail & Bottom Rail



Headrail




Bottom Rail A
(Stay Cord/BeadChain/Motorized)




Bottom Rail B
(Cordless)

Control Systems



Stay Cord



Bead Chain
(plastic/metal)




Motorized



Cordless

Color Swatches



More Choices Of Color

width:50mm thickness:2.8mm



F198WHT



F105WT



F105T



F218WT



TA258



F746WT



F921WT



F920WT



TA250



TA253



TA261



TA259



TA256




F942WHT



F772WHT



F105WHT



F941WHT



F274WHT



WPS-N001



WPS-N002



WPS-N003



WPS-N004



WPS-N005



WPS-N006



WPS-N007



WPS-N008



WPS-N009



WPS-N010




FS-003




FS-006



FS-009



FS-010



FS-012



FS-014



FS-015




FS-018




FS-019



FS-020




FW-001




FW-002



FW-003



FW-004




FW-005



FW-006



FW-007



FW-008



FW-009



FW-010



FW-011



FW-012



FW-013




FW-014




FW-015




FW-016



FW-017



FW-018



FW-019

Style and Measurement



Type A




Type B

(not available in cordless control)


- BD101
- BD106
- BD113
- BD115
- BD116
- BD120
- BD145

Inside Mount



Measurement requirements :
The depth(D)of the window hole should be more than 6cm.
Width: Measue W1,W2,W3, select the shortest one as the Width
Width of Blind=Width-1cm
Height of Blind=Height

Outside Mount



Window frames protruding the wall by more than 1cm will not be suitable for the outside mounting
Width of Blind=Width+10cm
Height of Blind=Height+15cm



Faux Wood Blinds Customizable Size					
Name	Style	Minimum width	Maximum width	Maximum height	Maximum area
Faux Wood Blinds	Stay Cord	30	240	300	5m
	Bead Chain	50	200	280	2
	Cordless Motorized	5500	200 200	240 250	4m
					2
					4m

*Size restriction: 30cm ≥ Width ≤180cm, 80cm ≥ Height ≤ 280cm, Minimum cost charge for 1 Sqm² for all faux wood blinds under 1 Sqm².

2

4m

2



Honeycomb Blinds

Specialist in blinds

Product Features

Imitating the design of a honeycomb, it has the functions of heat preservation, UV protection, and sound insulation. A variety of categories including horizontal blinds, day and night double blinds, and skylight options are available. It is a great choice for creating a comfortable and private space.

Product Categories



Normal



Top Down Bottom Up



Day and Night



Skylight



Perfect Fit Blinds

Control Systems



Continuous Loop



Cordless



Motorized



Cord Locked

Fabric Shading Effect



26mm/45mm Sheer



26mm Light Filtering



26mm Black Out



38mm Dual Cell
Light Filtering



38mm Dual Cell
Black Out



45mm Black Out

Available Rail Colors



Size:26mm



26mm No Drill Blinds




Size:38mm




Size:45mm




26mm Light Filtering



 93020M



 93020N




 93020O



 93034A



 93034B



 93034C



 93035A



 93035B



 93035C



 93035D



 93035E




 93035F




 93035G



 93033A




 93033B



 93033C


26mm Blackout



 93021Q




 93021R



 93034D



 93034E




 93034F



 93036A



 93036B



 93036C



 93036D



 93036E



26mm Light Filtering



 93020A




 93020B



 93020C



 93020D



 93020E



 93020F



 93020G



 93020H



 93020J



 93020K

26mm Blackout



 93021A



 93021B




 93021C




 93021D



 93021J



 93021E



 93021F



 93021G



 93021H



 93021I



38mm Light Filtering & Blackout



 93022A




 93022B




 93022C



 93022D




 93022E



 93023A




 93023B



 93023C



 93023D



 93023E

45mm Light Filtering & Blackout



 93025A



 93025B



 93025C



 93025D



 93025E



 93024A




 93024B



 93024C






 93024D




 93024E

Parameters of Rail







Inside Mount




Measurement requirements :
The depth(D)of the window hole should be more than 6cm.
Width: Measue W1,W2,W3, select the shortest one as the Width
Width of Blind=Width-1cm
Height of Blind=Height



Outside Mount



Window frames protruding the wall by more than 1cm will not be suitable for the outside mounting
Width of Blind=Width+10cm
Height of Blind=Height+15cm



Remark:

1. If for Continuous loop of TDBU or Day & Night ,if width more than 2 meter,the drop need to more than half of Width

45mm Honeycomb Size						
Lift System		W idt h		Drop		Max.
		Min	Max	Min	Max	Area
Cordless	Regular Cordless	320 mm	2500 mm	300mm	2400 mm	5.5 m ²
	TDBU Cordless	320 mm	2500 mm	300mm	2400 mm	5.5 m ²
	Day&Night Cordless	320 mm	2500 mm	300mm	2400 mm	5.5 m ²
Corded	Bottom Up Corded	200 mm	2000 mm	300mm	2600 mm	5 m ²
	Day&Night Double Corded	300 mm	2000 mm	300mm	2600 mm	5 m ²
	TDBU Double Corded	300 mm	2000 mm	300mm	2600 mm	5 m ²
Continuous Loop	Button Up Cord Loop	280 mm	2000 mm	300mm	2600 mm	5 m ²
	Day&Night Loop	350 mm	2000 mm	300mm	2600 mm	5 m ²
	TDBU Loop	350 mm	2000 mm	300mm	2600 mm	5 m ²
Motor i zed	Cordless With AC Power	500 mm	2500 mm	400 mm	3500 mm	9 m ²
	Cordless With DC Power	500 mm	2500 mm	400 mm	3500 mm	9 m ²
	Day& Night With AC Power	700 mm	2500 mm	400 mm	2600mm	9 m ²
	Day& Night With DC Power	700 mm	2400 mm	600 mm	2600mm	9 m ²
	TDBU with AC Power	700 mm	2500 mm	400 mm	2600mm	9 m ²
	TDBU with DC Power	700 mm	2500 mm	400 mm	2600mm	9
Remark:						
1. If for Continuous loop of TDBU or Day & Night ,if width more than 2 meter,the drop need to more than half of Width						

1. If for Continuous loop of TDBU or Day & Night ,if width more than 2 meter,the drop need to more than half of Width