


ROCKPORT TRADING



# Vinyl windows

Customization of Windows and Doors





Customized high-end Vinyl windows



Vinyl  
windowsCO  
LOR

## CONTENTS

Vinyl windows

•  
○

1. Vinyl windows 60 CASEMENT WINDOW SERIES 05

2. Vinyl windows 60 CASEMENT DOOR SERIES 07

3. Vinyl windows 88 SLIDING WINDOW SERIES 09

4. Vinyl windows 72 CASEMENT WINDOW SERIES 11

5. Vinyl windows 72 CASEMENT DOOR SERIES 13

6. Vinyl windows 82 CASEMENT WINDOW SERIES 15

7. Vinyl windows 108 SLIDING WINDOW SERIES 17

8. Vinyl windows 195 SLIDING DOOR SERIES 19

9. Vinyl windows 195 SLIDING DOOR SERIES 21


# Vinyl windows



## Product Performance Characteristics

- 1、Comply with the requirements of material and window & door standards
- 2、Multi cavity structures. Excellent thermal insulation performance.
- 3、Excellent sound insulation performance
- 4、Various color options available
- 5、The profile structure has superior drainage performance

## Product Color




## Vinyl windows



### Product Performance Characteristics

1. Comply with the requirements of material and window & door standards
2. Multi cavity structures. Excellent thermal insulation performance.
3. Excellent sound insulation performance
4. Various color options available
5. The profile structure has superior drainage performance

### Product Color




## Vinyl windows



### Product Performance Characteristics

1. Comply with the requirements of material and window & door standards
2. Multi cavity structures. Excellent thermal insulation performance.
3. With high cost performance
4. Various color options available
5. The profile structure has remarkable drainage performance

### Product Color



## Vinyl windows



Product Color



1、German calcium and zinc formula. After long-term inspection,

it's firm and stable.


2、Soft and long-lasting color. Even and smooth surface. Soft and delicate.

3、The welding angle and impact strength are 5% to 15% higher

than those of regular UPVC materials.

4、Various color options available

5、Triple sealing provides outstanding water tightness and air tightness.




# Vinyl windows



## Product Performance Characteristics

- 1、German calcium and zinc formula. After long-term inspection, it's firm and stable.
- 2、Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- 3、The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4、Various color options available
- 5、Triple sealing provides outstanding water tightness and air tightness.

## Product Color




## Vinyl windows



### Product Performance Characteristics

- 1、German calcium and zinc formula. After long-term inspection, it's firm and stable.
- 2、Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- 3、The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4、Various color options available
- 5、Triple sealing provides outstanding water tightness and air tightness.

### Product Color




## Vinyl windows



### Product Performance Characteristics

1. Comply with the requirements of material and window & door standards
2. Multi cavity structures. Excellent thermal insulation performance.
3. With high cost performance
4. Various color options available
5. The profile structure has remarkable drainage performance

### Product Color




## Vinyl windows



### Product Performance Characteristics

- 1、German calcium and zinc formula. After long-term inspection, it's firm and stable.
- 2、Soft and long-lasting color. Even and smooth surface. Soft and delicate.
- 3、The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
- 4、Various color options available
- 5、The profile structure has superior drainage performance

### Product Color



## Vinyl windows



### Product Performance Characteristics

1. German calcium and zinc formula. After long-term inspection, it's firm and stable.
2. Soft and long-lasting color. Even and smooth surface. Soft and delicate.
3. The welding angle and impact strength are 5% to 15% higher than those of regular UPVC materials.
4. Various color options available
5. The profile structure has superior drainage performance

### Product Color

